

0

alifornia Oil Co.1State /NW/4 Sec 12-Twp 14N-R 18E 153

AND THE PROPERTY OF THE PARTY O

COUNTY Navajo	A	REA Wil	dcat (Ho	olbrook Basin)	State 2519
		1			
WELL NAMECalifornia		7			
LOCATION NW/4	SEC 12	TWP 14	N RANG	GE 18E FOOTAGE 13	20 FNL & 1320 FWL
ELEV 5830' GR 5841'	KB SPUI	DATE 9	-13-61	STATUS P+A COMP. DATE I	TOTAL DEPTH 1947'
CONTRACTOR Boyle Bi	rothers Dri	lling Co.	, Salt	Lake City, Utah	e de la companya de l
CASING SIZE DEPTH					ROTARY ×
5 9/16 122'				<del></del>	CABLE TOOL
				PRODUCTIVE	RESERVOIR
				INITIAL PRO	DUCTION P&A
	<del></del>	SOUR	······································		
FORMATION TOPS	DEPTHS	L.L.		REMARKS	
Alluvium Coconino	Surface 65'	<u> </u>	х	mud, red and gumy SS Wht. F/VC Otzose.	8-13% porosity, tr perm; orbedded w/sltst & mudst. soft grading to hd and of anhydrite and halite.
Coconino	- 05			NSOFC becoming interest	orbedded w/sltst & mudst.
Upper Supai	794'	<del></del>		mudstone: red: very	soft grading to hd and
Ft. Apache	1475'	firm; with interbeds of anhydrite and hadolo gy-brn; V Shly w/no flour; no cut			
Lower Supai	1536			mudstone red-brn; hd	, interbedded w/halite
			ļ		
			<del> </del> -		
ELECTRIC LOGS	 	ORATED I	NTEDVAL	PROD. INTERVALS	SAMPLE LOG Am Strat
GRN	FERI	ORRIED	MI DIVAND.	J. TROP. INTERVADO	SAMPLE DESCRP. SAMPLE NO.
<u> </u>					CORE ANALYSIS
					DSTs Nuseum No. Az.
					Core Leg As Bur of Mines
REMARKS Lost Circ. & 1320 FWL.	@TD. Ream	to 478'	NOTE: S	lid rig to 1370 FNL	APP. TO PLUG
d 1520 PMD.					PLUGGING REP. X
WATER WELL ACCEPTED I	<del></del>			<del></del>	COMP. REPORT X
		rine Inc	urance	Co. BOND NO	400 FN 3293
BOND CO. St. Paul				DATE	
					REPORT X
,	•				PLAT BOOK X
API NO. <u>02-017-</u>	•	VIE TOORE		DEDICATION	,
PERMIT NUMBER 15	1				
J.	•		(ove	er)	

ARIZONA
NAVAJO CO.
HOLBROOK ANTICLIN
EA (W) Twp 14n-18e Section 12 c nw PETROLEUM INFORMATION DENVER CASPER ROCKY MOUNTAIN OIL INFORMATION 1320 s/n 1320 e/w 1 State-2519 OPR: California Oil WELL#: COMPL: 12-7-61 SPUD: 9-13-61 DSTS. & CORES: ELEV: 5832 KB TD: 1947 \*TOPS: Log-Sample Crd 295-328, no details released. CSG: 5½" @ 122 w/23 PERF-PROD. ZONE: INIT. PROD: D & A w/junk in hole

Contr: Boyle Bros.

(Strat Test - No further data to be released)

\*For Electric Logs on Rocky Mountain Wells-Ask Us!

A STATE OF THE PARTY OF THE PAR

ARIZ 1-166221

The state of the s


<del></del>			<u> </u>					-					
	METT (	.O.	ETION C					KD WI	ELL LO	OG			
					TYPE OF	COMBITI		_				٦.	[E7]
lew Work Vell Over	i~ ∏ Deн	epen	Plug Back		Same Reservoi	lr 🔲 _	Different Reservoir		Oil	Ga	LS	<u>.</u>	Dry X
			DES	CRIPT	ION OF W	ELL AND	LEASE						
perator					į -	Address							
California O	il Company	y, We	stern D	<u>ivisi</u>			oadway,			<u>olorad</u>	<u>o</u>		
ederal. State or Indi	ian Lease Numb	er or n	ame of lessor	r if fee l		Well Num		ld & Res					
	#2519				<u> </u>	19- #1		<u>lbrook</u>	<u>CATE</u>	<u>a</u>			
ocation						Cour	-						
1320' SNL, 1 Sec. TWP-Range or	Block & Survey			<del>-</del>	<del></del> _	Nav	<u>rajo Cou</u>	nty, A	YL120	na	<u> </u>		
NW Section			R. 18 E		te complete	d ready to	D Elevat	lon		Ele	vation		sing
Oate spudded	1			pro	duce		(DF. J	<u>кв.</u> вт	or Gr.)	eet hd.	flange		feet
9-13-61 Fotal depth	<u>  11</u>   P.B.T	<u>-27-6</u>	<u> </u>		P & A 12 gle, dual or		<u> </u>	1	If this	s a dual o	or tripi	e com	pletion,
1947¹	1.5.1			5	.,,	_			furnish pletion.	separate	report	tor e	acn com-
Producing Interval (	(a) for this com	oletion			1	Rotary to	ols used (Ir	terval)	10	able tools	used	(inter	val)
							0-194	<b>.</b> 7			_		
Was this well direc	tionally drilled?	Was	directional s	urvey i	made?	Was copy	of direction	al survey	, I	Date filed			
No			No		<u>_</u>	filed?	<u>-</u>						
Type of electrical o	or other toss ru	n (che	ck logs filed	with th	ne commissi	lon)			1	Date filed			
Gamma Ray -	Neutron									12-	14-6	<u> </u>	
					CASING R								
Casing (report all	strings set in	wellc	~								. 1		t multed
Purpose	Size hole dril	lled	Size casing	; set	Weight (	(lb./ft.)	Depth	set	Sac	ks cement	· _ _	Am	t. pulled
Surf, Pipe	7-7/811	-	5-9/16"	,	14	.81	12	21		23			
Lost Circ.	4-7/8"		<u></u>				72	61				1	31'
AUGE CERSE													
TU	BING RECORI	)					LI	NER REC		<del>-</del> _			
Size	Depth set	Pack	ter set at	Sixe	<u>-</u>	Тор	1	ttom	1	Sacks cem	ent	Scre	en (ft.)
in.	ft.		ft.	<u> </u>	in.		tt.		ft.	Therese C	·	1 7 P P	ECODE.
	PERFORAT	ION RI					D, SHOT.				Depth		
Number per ft.	Size & type		Depth	Interval		Am't.	& kind of m	retraties (	044				
									].				· · · -
									1				
					NITIAL PR				<u> </u>				• ·
	_	Prod	ducing metho	ibni) be	cate if flow	ring, gas i	iift or pump	ing—if p	umping	, show siz	ze ez t	уре о	t pump:)
Date of first prod	luction					I a	d dualments	ot 1 W-		d. during	test I	Oil =	ravity
	· · · · · · · · · · · · · · · ·		. 1	*						· · · · · · · · · · · · · · · · · · ·			
	· · · · · · · · · · · · · · · ·	hoke s	ize   Oil	prod. d	iuring test	Gas pro	d. during to M	1	ter pro	_			* API (Cor
Date of test Hr	s. tested C				bbls.	Gas pro	м	CF		t	obla.		* API (Cor -oil ratio
	· · · · · · · · · · · · · · · ·		Cal'ted rate	e of Pro	bbls.	bbls.		1	Wat	er			<del></del> -
Date of test Hr Tubing pressure	Casing press	sure	Cal'ted rate	e of Pro	bbls.	<u> </u>	м	CF		er	obla.		<del></del> -
Date of test Hr Tubing pressure Disposition of gas	Casing press	vented	Cal'ted rate duction pe	e of Pro or 24 hr	bbis.	bbls.	Gas	MCF	Wat	t er t	obla.		
Date of test Hr Tubing pressure Disposition of gas	Casing press	vented	Cal'ted rate duction pe	e of Pro or 24 hr	bbis.	bbls.	Gas	MCF	Wat	t er t	obla.	Gas	oli ratio
Date of test Hr	Casing press	vented	Cal'ted rate duction pe	e of Pro or 24 hr	bbis. Oil slid):	bbls.	Gas -	MCF  MCF	Wat	er t	obla.	Gas	ofi ratio
Date of test Hr Tubing pressure Disposition of gas	Casing press (state whether	vented	Cal'ted rate duction pe	e of Pro or 24 hr	bbis. Oil sloid): ry, state tha	bbls.	Gas - Ch	MCF  MCF	Wat	er t	obla.	Gas	oil ratio
Date of test Hr Tubing pressure Disposition of gas CERTIFICATE: I.	Casing press (state whether	vented	Cal'ted rate duction pe	e of Pro or 24 hr	bbis. Oil sloid): ry, state tha	bbls.	Gas  Cha	MCF  MCF  Low said te, correct	Wat	er to make nplete to t	obla.	Gas	oil ratio
Date of test Hr Tubing pressure Disposition of gas CERTIFICATE: I.	Casing press (state whether	vented  , under  pervisio	Cal'ted rate duction pe	e of Pro or 24 hr	bbis. Oil sloid): ry, state tha	bbls.	Gas  Cha	MCF  MCF  Low said te, correct	Wat	er to make nplete to t	obla.	Gas	oil ratio
Date of test Hr Tubing pressure Disposition of gas CERTIFICATE: I.	Casing press (state whether the undersigned	vented  , under  pervisio	Cal'ted rate duction pe	e of Pro or 24 hr	bbis. Oil sloid): ry, state tha	bbls.	Gas  Cha	MCF  MCF	Wat	er to make nplete to t	obla.	Gas	oil ratio
Date of test Hr Tubing pressure Disposition of gas CERTIFICATE: I, California, report was prepai	Casing press (state whether the undersigned	vented  , under  pervisio	Cal'ted rate duction pe	e of Pro or 24 hr	bbis. Oil sloid): ry, state tha	bbls.	Gas  Cha	MCF  MCF  Low said te, correct	Wat	er to make nplete to t	obla.	Gas	oil ratio
Date of test Hr Tubing pressure Disposition of gas CERTIFICATE: I, California, report was prepai	Casing press (state whether the undersigned	vented  , under  pervisio	Cal'ted rate duction pe	e of Pro r 24 hr rel or so of perju	bbls. Oil sld): ry, state tha ompany), an	bbls.	Gas  Cha	MCF  MCF  Low said te, correct	Wat	er to make nplete to t	obla.	Gas	oil ratio
Date of test Hr Tubing pressure Disposition of gas CERTIFICATE: I, California, report was prepar	Casing press (state whether the undersigned	vented  , under  pervisio	Cal'ted rate duction pe	e of Pro or 24 hr	bbls. Oil sld): ry, state tha ompany), an	bbls.	Gas  Cha	MCF  MCF  Low Said the correct to th	Wat	er  to make nplete to t	obla.	Gas	oil ratio
Date of test Hr Tubing pressure Disposition of gas CERTIFICATE: I, California, report was prepai	Casing press (state whether the undersigned	vented  , under  pervisio	Cal'ted rate duction pe	e of Pro r 24 hr rel or so of perju	bbls. Oil sld): ry, state tha ompany), an	bbls.	Gas  Gas  Au  m authorizederein are tru  nature	MCF  MCF  Low said the correct to th	Wat company and con	er  to make nplete to t	obla.  this reine best	Gas-	oil ratioof th and that thi y knowledge
Date of test Hr Tubing pressure Disposition of gas CERTIFICATE: I, California	Casing press (state whether the undersigned	vented  , under  pervisio	Cal'ted rate duction pe	e of Pro r 24 hr rel or so of perju	bbls. Oil sld): ry, state tha ompany), an	bbls.	Gas  CAs  m authorizederein are tru  nature	MCF  L En  A by said re, correct  STA GAS CO	Wat wat was a second and row w	to make npiete to t	this rethe best	Gas- port; a cof my	oil ratio  of the and that this converge convence converge converge converge converge converge converge converg
Date of test Hr Tubing pressure Disposition of gas CERTIFICATE: I, California, report was prepar	Casing press (state whether the undersigned	vented  , under  pervisio	Cal'ted rate duction pe	e of Pro r 24 hr rel or so of perju	bbls. Oil sld): ry, state tha ompany), an	bbls.	Gas  Gas  Au  Mature	MCF  L En  A by said re, correct  STA GAS CO	Water Company and control of the Company and con	to make npiete to t  ARIZO /ATION pletion Re	this rethe best	Gas- port; a cof my	oil ratioof th and that thi y knowledge
Date of test Hr Tubing pressure Disposition of gas CERTIFICATE: I, California	Casing press (state whether the undersigned	vented  , under  pervisio	Cal'ted rate duction pe	e of Pro r 24 hr rel or so of perju	bbls. Oil sld): ry, state tha ompany), an	bbls.  It I am the d that I as stated th	Gas  CAs  m authorizederein are tru  nature	MCF  L En  A by said re, correct  STA GAS CO	Water Company and control of the Company and con	to make npiete to t	this rethe best	Gas- port; a cof my	oil ratio  of the and that this converge convence converge converge converge converge converge converge converg

(Complete Reverse Side)

**(**2

Formation	Тор	Bottom	Description*
Alluvium	Surface	65 (+5776)	Mud, red and gummy
Coconino	65(+5776)	794(+5047)	SS-WH, F/VC Qtzose, 8-13% POR, TR. Perm, NSOFC w/Many Vert. Frac.
			SS-Below 583 Red-Orange VF/F, 3-8% POR, Tr. Perm. NSOFC becoming interbedded w/sltst. & mudst. Red-Bwn. Hd.
Upper Supai	794 (+5047)	1475(+4366)	Mudst. Red v. Soft Grdg. to Hd and Firm w/interbeds of Anhydrite and Halite.
Ft. Apache	1475 (+4366	1536 (+4305)	Dolomite Gy-Brn. V Shaley w/no Fluor., No Cut.
Lower Supai	1536 (+4305	TD	Mudstone Red-Brn., HD, Interbedded w/Halite.
*		,	
**************************************	••		
· · · · · · · · · · · · · · · · · · ·			_ =J:= I
*			
			STA BE

DETAIL OF FORMATIONS PENETRATED



#### INSTRUCTIONS:

Attach drillers log or other acceptable log of well.

This Well Completion or Recompletion report and well log shall be filed with the State of Arizona Oil & Gas Conservation Commission not later than thirty days after project completion.

Form No. 4

A STANDARD OF THE STANDARD OF

Ω

		(				_(]-		
			<del>-</del>	PLUGGING	RECORD	· · ·		
perator					Address			
California	a Oil Company	, Weste	ern D	ivision     Well N	P. O. Box 1		<u>lt Lake Ci</u>	ty, Utah
ame of Lease	0			2519				
Holbrook Location of Wel	area				Sec-	Twp-Rge or	Block & Surve	! 1
Section 1	2, T.14N., R	.18E.	Was t	his well ever	Character of well	at completic	on (initial produ	Navajo
n name of	rill this well was file		produc	ed oil or gas	Oil (bbls/day)	Ga:	s (MCF/day)	Dry?
	Oil Co., Wes	t.Div.	Total	NO	Amount well produ	None	plugged:	<u> </u>
Date plugged:					Oil (bbls/day)	Ga.	s (MCF/day)	Water (bbls./day)
12-1		Fluid cont		9471 ach formation	Depth interval of	None each format	ion   Size, kin	d & depth of plugs used
Name of each for taining oil or gas which formation bore at time of	is. Indicate a open to well-	Finia conc	enc or c				Indicate	zones squeeze cemented, nount cement.
Nor	)e							
	abandoned due	to med	hani	al difficul	ties)			
	- Control Care							
								_
		I		CASING 1	RECORD			
Size pipe	Put in well (ft.)	Pulled ou	t (ft.)	Left in well (ft.)	Give depth and method of parting		Packers a	nd shoes
5-9/16"	1231	_		123	casing (shot.	ternal	Cutter	
	-	131		595 <b>'</b>		11	11	
)†"	7261	761		835		11	11	
2-7/8"	<u>1596</u> '	- LOT	<del></del>					
		<b>-</b>		<u> </u>			<u> </u>	
		<del> </del>						
TIT	l with mud-laden flu	id. accordin	g to res	ulations?	Indicate deepest	formation (	ontaining fresh	water.
Was well mier	Yes				Coconing			om 720°
	NAMES AND AI	<del></del>		JACENT LEASE	OPERATORS OR		OF THE SURF	
Name		A	ddress		Direction from this wen.			
Aztec Lan	d & Cattle C	o. Ko	rber	Bldg., Albu	querque, N.	Mex.	Sec. 1,11,	13 - N,S,W
Caloilwes	 st	P.	0. I	30x 780, Den	ver, Colorado Sec. 7, Tl9N, Rl4E			9N, R14E
In addition to plugging oper letter from s ging which n	o other information rations to base of fr urface owner author night be required.	required on esh water izing compl	this for sand, poletion of	rm, if this well werforated interval	as plugged back for to fresh water sar ater well and agre	r use as a fr nd, name a eing to assi	esh water well, and address of s ime full liability	give all pertinent details of urface owner, and attach for any subsequent plug-
Use reverse s	side for additional de	tail	rizona (	ill & Gas Conserva	tion Commission			
						sion Su	p'tProdu	ction. Deptof the
report was p	orepared under my su	pervision an	d direct	ion and that the fac	ts stated therein are	e true, correc	et and complete to	te this report; and that this to the best of my knowledge.  Allu-
1-5-6 Date	2				R.a.L. Signat			<u></u>
						STATE O CONSER	F ARIZONA C VATION COM	OIL & GAS IMISSION
					Form No. P-1 Authorized by	5		
1						Effecti	veA	ipril 6, 19 59

*(*?

Oila Gas bonner to bommeron STATE LAND DEPARTMENT STATE OF ARIZONA

Form O&G 55

Form Prescribed Under Oil and Gas Conservation Act 1951

APPLICATION TO ABANDON, \*\*REMINICAL DIFFICULTIES\*\*

AS A RESULT OF MECHANICAL DIFFICULTIES

(After Well Has Once Been Completed)

INSTRUCTIONS: - - File in duplicate with Commissioner. One copy will be returned with approval or denial.

HOLBROOK B	ASIN AREA			
OPERATOR: CALIFORNIA	OIL COMPANY, Wes	$\overset{ ext{tern}}{ ext{ision}}$ ADDF	ESS P. O. Box 1076,	
LEASE: State 2519	WELL NO.	#l		TY Navajo
SURVEY:	SECTION	12		MIT NO.: 154
LOCATION 1320' from t	he North line, a	nd 1320' from	the West line to loca	tion in Center of
the $NW_{ij}^{1}$ of Section 12, T.	14 N., R. 18 E.	, Navajo Cour	ty.	
TUDE OF WELL	Dry Hole	······································	TOTAL DEPTH	1947'
TYPE OF WELL	Gas or Dry Hol	lo\		
(01,	Gas of Dry Ho	16)		
ALLOWABLE (If Assign	24)			
LAST PRODUCTION TE	ST: OIL	(Bbls.)	Water	(Bbls.)
EAST TROBUGITOR 12.	GAS		DATE OF TEST	
		<del></del> -		
PRODUCING HORIZON	PR	ODUCING F	ROM:	ТО
1. COMPLETE CASING	G RECORD:			
	5-9/16" Set with			
726' -				
1596' - :	2-7/8" Not cemen	nted	20051 20151	Athematic de
	unk in hole: 140	0' 2높" 0.D. d	rill pipe 1807'-1947'.	Attempts to
	re	cover this 经	" O.D. drill pipe have	been unsuccessiur.
(2) Place mi (100' in (3) Place ce (4) Fill top annulus.	nimum of 200' ce side 2-7/8" to 1 ment from 100' b 25' of 4" with	ment plug acr 00' above tog elow shoe of cement and pl	4" csg. to 100' above ace cement in 5-9/16" than that covered by	shoe.  x 4" casing  permit, this
form shall be accompan	ied by a certifie	ed lease plat	as is prescribed on Fo	orm No. O &G51.
If well is to be aband Yes . I	loned, does prop f not, outline pr	oosed work cocedure prop	onform with requirements	ents of Rule 26?
DATE COMMENCING ON NAME OF PARTY DOING CORRESPONDENCE SH	NG WORK: BOYLE	BROS. DRILLI	VIA OIL COMPANY, Wester	624 Pioneer Road alt Lake City 10, Uta Division
		TITLE:_	Division Superintende	nt, Production Dept.
APPROVED: 49th	DAY OF Dec	19 <u>6/</u> .		
DENIED:1	DAY OF	_		
			Oilal goo Consur	ti Commini

By:


Petroleun geologie

O

154


A A SHOP THE PARTY OF THE PARTY

CALIFORNIA OIL COMPANY, WESTERN DIVISION COMPANY Well Name & No. ARIZONA STATE LEASE 2519, WELL No. 1 Location 1320' FROM THE NORTH LINE AND 1320' FROM THE WEST LINE, Being in Center of the NORTHWEST QUARTER (NWt) NAVAJO COUNTY, ARIZONA Sec. 12, T14 N.R 18 E, G. & S. R. M. Ground Elevation 5830.0 UNGRADED GROUND.



Scale - 4 inches equals 1 mile

15 AUGUST This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.



Ų

Registered Land Surveyor. James P. Leese

Arizona Reg. No. 1849

SAN JUAN ENGINEERING CO., PARMINGTON, NEW MEXICO

ZENIFF QUADRANGLE ARIZONA-NAVAJO CO. 7.5 MINUTE SERIES (TOPOGRAPHIC) 557 110° 22′30′ 34° 555 | 430 000 FEET 2947' DRY LAKE 5829 DEPRESSION X\$842 18 3#29 Section 18
Tank 1 310 FEET 3878 - 19 O. 35'

€.a⊕`,

MANAGE ....

•

THE PERSON NAMED IN COLUMN TWO IS NOT THE OWNER.

# OIL AND GAS ONSERVATION COMMISSION STATE OF ARIZONA

Form OG 51

Form Prescribed Under Oil and Gas Conservation Act of 1951

#### NOTICE OF INTENTION TO DRILL NEW WELL

This notice and surety bond must be filed and permit must be granted before drilling begins

		drilling ocgans			
Oil and Gas Conserva	tion Commis	ssion	Phoeni	<u>x</u>	Arizona 8-22 1961
		e Rule 3, notice is he well No. State 2519 ‡			our intention
Twp. 14N. , Rg	e. 18E.	G&SRM HXXXXXXI., Holbroo	ok Basin Area		KARKA
Navajo		County.			
Legal description of	lease Arizon	na State Lease #2519 S (attach map	ec. 12, T. 14N or plat to sca		18E., G&SRM.
location in the	Give exact for center of the	he North Line and 1320 cotage from section c e NW <sup>1</sup> 4 of Sec. 12, T. I	orners or othe	r	
legal subdivisions or		-	_		
Proposed drilling de	pth <u>3400</u>	feet. Acres in dril	ling unit No	drilli	ng unit
Has surety bond been	filed? Ye	s Is locat	ion a regular	or exc	eption to spacing
rule? Regular	<u> </u>				
Elevation of ground a	above sea lev	rel 5830.0	feet.		
All depth measureme	ents taken fre	om top of <u>Kel</u> (Derric which is	k, floor, Rota	_	ble or above the ground.
(Kelly Bushing)					
	<del> </del>	PROPOSED CASING	PROGRAM		
Size of Casing Inches A. P. I.	Weight -	Grade & Type	Тор Во	ttom	Cementing Depth 120
	<del></del>			<del></del>	
Intended Zone or Zo Name Naco, Redwal	~		forated Interva	1	_
	-	penalty of perjury, th st of my knowledge ar Cali:	nd belief, true,	corr	
Application appermit No. 154 3-62 1/10/58	·	(Appl:	Oil and Gas in	eer Th	19 61  Varion Commission  8

(3

BOND

### KNOW ALL MEN BY THESE PRESENTS

Cancelled 8-13-1962

					0 '
hat e:	CALIFORNIA OIL COMPA	TY .			
·	P. O. Box 780			-	
the	•		in the	Colorado	
ounty	of: Denver		_State of:		
- D-:-	ainal				
s Prin nd	St. Paul Fire and	Marine Insurance Co	ompany		
				<del>-</del>	
f St.	Paul, Minnesota AUTHORIZED TO DO	BUSINESS WITHIN	I the State of	Arizona.	
awful i	ety, are held and firml money of the United Sta ves, and each of us, ar signs jointly and severa	ites, for which pay d each of our heir	yment, well s, executors	and truly to be it, administrators	lade, we bind
Pho oo	ndition of this obligation well or wells for oil,	on is that whereas	the above bo	unden principal j	proposes to ollowing des-
irill a	well or wells for oil, ; d land situated within t	he State, to wit:	F F		
	Blanket bond for all we			<u> </u>	
	(May be used as blanke	t bond or for sing.	(F)	ANGE	
<del></del>					
1			DATF	8-13	- 60
of the Comm the pr Conse said w or gas	THEREFORE, if the a laws of this State and a hission, especially with oper drilling, casing a rvation Commission al well or wells do not pro- s in commercial quanti- emain in full force and	the rules, regulation reference to the reference to the reference to the reference of said and reconduce oil or gas in ties, then this oblices.	ons and orderequirements well or well or well or commercial igation is voi	s of A.R.S. 27-! ls, and filing with by said Commisquantities, or continuous	Gas Conservations for the Cil & Gas sion, in the ever ease to produce of
Denal	sum of	Dollars (\$10,000)	•		
	ss our hands and seals	, this 34 <b>4</b>	d	ay of August, 1	961
			WAARAAN .		RINCIPAL
		CALIFORNIA O	IL COMPANY		RINGLEAL
		BY: Cut	malwell		
		Attorney	-in-Fact	, SA	Kelpar
		BY;	Tusty	<u></u>	V N. S.
Witne	ess our hands and seals	this Accorded	-in-Face	lay of	
		St. Paul F	ire And Marin	e Insurence Co.	130
			3000		<del>- 4</del>
		St.	To sold !	Emon_	<del>-</del>
				Su	rety
/TC -1	e principal is a corpor	ation the hand sh	ould be exec	uted by its duly a	uthorized offi-
(II the	e principal is a corpor , with the seal of the c	orporation affixed.	When prin	cipal or surety e	xecutes this
cers,	with the sear of the c	orporation arrived	dance de auti	hority must accor	mnany the bond

\_\_\_\_\_

AND THE PROPERTY OF THE PARTY O

OIL AND GAS CONSERVATION COMMISSION

IJ

Class 1

[ ]

(A Capital Stock Company)

() ()·

#### CERTIFIED COPY OF POWER OF ATTORNEY

Original on File at Home Office of Company. See Certification.

FIDELITY AND SURETY DEPARTMENT

### ST. PAUL FIRE and MARINE

Frisurance Company, HOME OFFICE: ST. PAUL, MINNESOTA

KNOW ALL MEN BY THESE PRESENTS: That the St. Paul Fire and Marine Insurance Company, a corporation organized and existing under the laws of the State of Minnesota, and having its principal office in the City of Saint Paul, Minnesota, does hereby constitute and appoint

F. E. Shellman 1250 Stout St. Denver, Colorado

its true and lawful attorney(s)-in-fact to execute, seal and deliver for and on its behalf as surety, any and all bonds and undertakings, recognizances, contracts of indemnity and other writings obligatory in the nature thereof, which are or may be allowed, required or permitted by law, statute, rule, regulation, contract or otherwise, and the execution of such instrument(s) in pursuance of these presents, shall be as binding upon the said St. Paul Fire and Marine Insurance Company, as fully and amply, to all intents and purposes, as if the same had been duly executed and acknowledged by its regularly elected officers at its principal office.

This Power of Attorney is executed, and may be certified to and may be revoked, pursuant to and by authority of Article V, -Section 8, of the By-Laws adopted by the Board of Directors of the St. Paul Fire and Marine Insurance Company at a meeting called and held on the 17th day of January, 1952, of which the following is a true transcript of said Section 8:

"The President or any Vice President, Resident Vice President, Secretary or Resident Secretary, shall have power and authority

- (1) To appoint Attorneys-in-fact, and to authorize them to execute on behalf of the Company, and attach the Seal of the Company thereto, bonds and undertakings, recognizances, contracts of indemnity and other writings obligatory in the nature
- (2) To appoint Special Attorneys-in-fact, who are hereby authorized to certify to copies of any power-of-attorney issued in pursuance of this section and/or any of the By-Laws of the Company, and
  - (3) To remove, at any time, any such Attorney-in-fact or Special Attorney-in-fact and revoke the authority given him."

IN TESTIMONY WHEREOF, the St. Paul Fire and Marine Insurance Company has caused this

October day of

instrument to be signed and its corporate seal to be affixed by its authorized officer, this A. D. 19 58

ST. PAUL FIRE AND MARINE INSURANCE COMPANY

STATE OF MINNESOTA County of Ramsey

19 🥦 before me came the individual who executed the October day of preceding instrument, to me personally known, and, being by me duly sworn, said that he is the therein described and authorized officer of the St. Paul Fire and Marino Insurance Company; that the seal affixed to said instrument is the Corporate Seal of said Company; that the said Corporate Seal and his signature were duly affixed by order of the Board of Directors of said Company.



IN TESTIMONY WHEREOF, I have hereunto set my hand and affixed my Official Seal, at the City of Saint Paul, Minnesota, the day and year first above written.

C. L. JAEGER

Notary Public, Ramsey County, Minn. My Commission Expires June 2, 1960.

#### CERTIFICATION

I, the undersigned, a Special Attorney-in-fact of the St. Paul Fire and Marine Insurance Company, duly appointed pursuant to and by authority of the By-Laws of said Company, do hereby certify that I have compared the foregoing copy of the Power of Attorney \* and affidavit, and the copy of the Section of the By-Laws of said Company as set forth in said Power of Attorney, with the ORIGINALS ON FILE IN THE HOME OFFICE OF SAID COMPANY, and that the same are correct transcripts thereof, and of the whole of the said originals, and that the said Power of Attorney has not been revoked and is now in full force and effect.

IN TESTIMONY WHEREOF, I have hereunto set my hand this Z 4 day of

\*Unlimited as to character and amount.

10870 E4. 1-56

Special Attorney

RESOLVED: That the President, or any Vice-President, of the Western Division of this corporation, or C. W. Maxwell, Contract Agent of the Western Division, together with the Secretary or an Assistant Secretary of the Western Division of this corporation be and they are hereby empowered in such capacities or as attorneys in fact for this corporation to execute (without the necessity of affixing the corporate seal thereto) all papers concerning the properties and business of said Division requiring execution in the name of this corporation or in the name of Western Division of California Oil Company, or in the name of any division or trade style of said Western Division, excepting no authority is conferred hereby for the execution of oil leases to others covering fee lands of this corporation, and deeds conveying real estate (other than rights of way and similar easements) where either the book value or sale price exceeds \$50,000 and each of said persons is hereby empowered to acknowledge and deliver any such instruments as fully as if special authority were granted in each particular instance.

California Oil Company, a California corporation, do hereby cartify that the foregoing is a full, true and correct copy of a certain resolution of the Executive Committee of said corporation unanimously adopted at a regular meeting of said Executive Committee duly held at the office of said corporation in San Francisco, California, on the 9th day of March, 1961, at which meeting a quorum of said Committee was present and acting, and that said resolution is in full force and unrevoked.

N. Y. Turky

O

157

The state of the s

~ ~

### CAMEGRATA DIL COMPANY

WESTERN DIVISION

1700 BROADWAY PO BOX 780 DENVER COLORADO 80201

September 8, 1964

Well Nos. 2519-1 & 2519-1A Sec. 12, T-14-N, R-18-E Navajo County, Arizona File No. S 154-175

State of Arizona
Oil & Gas Conservation Commission
Capitol Annex, Room 202
1624 West Adams Street
Phoenix, Arizona

Gentlemen:

Attached is a copy of the completion record for each of the subject wells as requested in your letter dated September 4, 1964.

Please advise if we may be of further assistance.

Yours very truly,

E. M. Kipp (WW)
Manager, Production

Attachment

G.



THE RESIDENCE OF THE PARTY OF T

22

STATE OF ARIZONA
OIL and GAS CONSERVATION COMMISSION
CAPITOL ANNEX
ROOM 202
1624 WEST ADAMS STREET
PHOENIX, ARIZONA

COMP	ANY California Oil Company	DAID_ 8-4-1954_
RE:	WELL NAME & NUMBER: 2519-1 and 2519-A	
	LOCATION: SECTION 12 TWP. 14N R. 18E COUNTY	Navajo
	FILE NUMBER 8 154 -175	

Gentlemen:

In addition we request a copy of any log run on this (these) well (s).

Your cooperation is appreciated. If we may be of service to you please advise.

Yours very truly,

Bill Cooper

Bill Cooper Records Section

Completion Record X

Plugging Record

Well Log
cc/Bonding Company

Application to plug and abandon

January 3, 1962

California Oil Company Western Division P. O. Box 1076 Salt Lake City, Utah

Re: California Oil Co. State 2519 #1 - Section 12 T 14 N, R 18 E, Navajo County

#### Gentlemen:

We are enclosing an approved copy of Form 0 & G 55, Application to Abandon, the above described test for your records.

Yours very truly,

Brooks Pierce Petroleum Geologist

hme enc 1

0

The state of the s

MEMORANDUM

R.L. Green/s.v. Harren

salt lake vity

ecember 12

FROM MR H.B. Christy

Helbrekk, arizona

California 011 Co State 2519 #1 e me See 12-14H-18E Havajo Co., Arisona

Tro ress Letter 10

TP Sehl

INTERNAL PENETRATED: None

FORMATION PENETRATED: None

Lover Supai

interval

SHOWS: Kome

log

SUAPEYS: Ran Schlumberger at 1947 (drlr).

beutron	1	100-1945		1947		1945	
	State 2519 #	1	Fan-Am	Astec S442	à-1	ielative control	

Caloil State ES 5841	2519 £1 Fa	EB 5442	control v
430 (+5411)	corr. pt	350(+5092)	+31,9
794 (+5047)	Up.Supai	676 (+4766)	+281
1475 (+4366)	ft.Apache	1703 (+3739)	+627
1536(+4305)	Low. Supai	1747(+3695)	+610
1800(+4041)	corr. pt.	2000 (+3442)	+599
1911 (+3930)	cerr. pt.	2116(+3326)	+604

STATUS: Propering to F&A, will cut and recover ### approx 900 of 2 7/5" eeg a ad as much of the 4" as possible.

PLAN 3: BUTLES BROS will plug State 2519 gl and skid the rig 50' to the south and core State 2519 #1A. They now have a railing rig on location to drill to approx 2000 with a rock bit. Gasing will be set to the bottom of the rock bit hele and then coring will resume with 2 7/8"DF and a hole size of 3 1/4" as in the original hole.

REMARKS: The leg correlation showed the top of the Ft. Apa che to be at 1475(+4366). The top of the lower Supai was picked at 1536(+4305). This is 310 low to the Geologic Program estimate.

Current correlations indicate that the rest of the hele should consist of generally firmer rock than has been seen to date. Lost circula tion will however remain a problem.

cc/ecd

Astec Land

16 Wester

BD drlr

WHEN REPER IS REQUIRED, FORWARD OFIGINAL AND ONE COP

The state of the s

### SCHLUMBERGER WELL SURVEYING CORPORATION

"Electrical Well Logging"

PLEASE REPLY TO HOUSTON, TEXAS SCHLUMBERGER WELL SURVEYING CORP PO BOX 995 FARMINGTON, NEW MEXICO

Very truly yours,

SCHLUMBERGER WELL SURVEYING CORP.

H. F. SOERE, SER EY PV District Manager

CALIFORNIA SIL COMPANY	DATE DECEMBER 14 1961
50X 1076	
SALT LAKE CITY TO, UTAL	•
n:MR. B. L. GREEN/ECO	
ar Sir	
We thank you for wour husiness and hone	you will contact us on either service or interpre-
ion. Enclosed are 1 2 prints of the	GR-N. on:
mpany Call FORMA THE COMPANY	Field HOLBROOK AREA
unty WATALO State AR LLYNN.	Field I Wash Cost Car ee
Additional prints are being sent to:	
	•
CALIFORNIA CIL COMPANY	OIL & GAS CONSERVATION COMMISSION
ORY 700	PHILT 412 2500 N. CENTRAL AVE.
NEWVER 1 COLORADO	PHOENIX ARIZONA
POT 780 DENVER 1. COLORADO ATTN- L. C. SOILFAU 111/CCC	
	•
	prints
CALIFORNIA OIL COMPANY	
KOX 107	The state of the s
BOX 1076  SAL! LAKE CT:Y 10, U:AH ATIN: J. P. SPCSAN	The state of the s
ATINE J. P. SPOSAN	and the second
1prints	prints
AZTEC LAND & CATTLE CO.	ار المراجع الم
Pox 873	للمعاونة والمائية المائية المائية المائية المائية المائية المائية المائية المائية والمائية المائية والمائية المائية ال
ALRUQUERQUE, N.M.	and the second of the second o
And the second s	ا المحمد محمد محمد والمحمد والم
The film is BEING MAILED UNDER	SEPERATE COVER.
	All Control of the Co

August 30, 1961

California Oil Company, Western Division P. O. Box 1076 Salt Lake City, Utah

Attention: Mr. R. L. Green

Re: California Gil Company - State 2519 #1 Section 12, T 14 N, R 18 E, Navajo County.

#### Gentlemen:

Enclosed is your approved application for drilling of the above described test.

We are also enclosing your approved bond form along with a receipt in the amount of \$25.00 covering the permit fee.

We hope you have every success in this new venture, and if this office can be of any service, please do not hesitate to call on us.

Yours very truly,

Brooks Pierce Petroleum Geologist

BP:hme encs 6

August 28, 1961

Mr. Anthony T. Deddens, Chairman Oil and Gas Conservation Commission Post Office Box 600, 11 Main Street Bisbee, Arizona

Dear Tony:

Reference:

Eastern Petroleum Company, Santa Fe #6 Center Section 25, T20N, R28E

Apache County

California Oil Company, State 2519 No. 1 Center NW1, Sec 12, T14N, R18E

Navajo County

Will you please indicate your approval on the enclosed forms OG51 for the above captioned test and return to this office at your earliest convenience. I am also enclosing the Bond form on the California Oil Company which requires your approval.

It looks as though we are getting a little more activity in our state.

Kindest regards,

Brooks Pierce Petroleum Geologist

BP:vjb Enclosures

റ

Constant of the Constant of th

¥

### GAMEORNIA OLL COMPANY

WESTERN DIVISION
1700 BROADWAY . P. O. BOX 780 . DENVER 1 . COLORADO

August 24, 1961

#### AIR MAIL

Oil and Gas Conservation Commission State of Arizona 3500 North Central Suite 221 Phoenix 12, Arizona

Attention: Mr. D. A. Jerome, Executive Secretary

#### Gentlemen:

Transmitted herewith are two copies of a bond in the amount of \$10,000, executed by this company as principal and by St. Paul Fire and Marine Insurance Company as surety, to cover the drilling operations performed by this company within the State of Arizona.

Yours very truly

JBP:jes

cc: Mr. J. E. Brooks
California Oil Company, Western Division
P. O. Box 1076
Salt Lake City, Utah

Attachment.

. --

The state of the s

l consesso

# Graneane Oil Comeane

WESTERN DIVISION

211 EAST THIRD SOUTH . P. O. BOX 1076 . SALT LAKE CITY 10 . UTAH

August 22, 1961

State of Arizona Oil and Gas Conservation Commission 3500 North Central Avenue Phoenix, Arizona

Gentlemen:

Attached you will find your Form Numbers 50 and 51 completed for our well State 2519 Number 1 Navajo County. We trust these are completed in accordance with your instructions; however, if not, please do not hesitate to call us collect to make any corrections you consider necessary.

Also, we request a supply of the following Oil and Gas Conservation Commission Forms: Numbers 50, 51, 52, 53, 54, 55, 56 and 63.

Thanks you for your trouble.

Yours very truly,

L. GREEN

BLH:ar

Attachments

159

August 1, 1961

California Oil Company 1700 Broadway P. O. Box 780 Denver 1, Colorado

Attention: Mr. C. M. Ghylin

Gentlemen:

You will find enclosed herewith a copy of our General Rules and Regulations covering drilling for oil and gas within our State, as requested in your letter of July 28.

Yours truly,

Brooks Pierce Petroleum Geologist

BP:vjb Enclosure

¥

# CAMEORNIA DIL COMPANY

1700 BROADWAY . P. O. BOX 780 . DENVER 1 . COLORADO

July 28, 1961

Oil and Gas Conservation Commission State of Arizona 3500 N. Cent. - Suite 221 Phoenix 12, Arizona

Gentlemen:

Would you please forward one copy of the General Rules and Regulations having state-wide application.

If there is any charge, please bill me direct.

Yours very truly,

CMG:bc

CM Ghylin POBOX 780 Danver

15 7

THE RESERVE OF THE PARTY OF THE